Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



WINTER - FLOWERING BULBS AUTUMN AND

CROCUS SPECIES, COLCHICUMS, HARDY CYCLAMEN, STERNBERGIAS, ETC. Also Early Hyacinths, Polyanthus Narcissi, Freesias and Lachenalias for forcing.

CROCUS SPECIES

Autumn, Winter and Early Spring-Flowering.

No Rock or Alpine Garden is complete without these Crocus species, which give a continuous display of bloom from August to March, their bright colours in winter lighting up the garden when few other plants are showing bloom. Many of them are beautiful and rare species, which cannot fail to be acceptable to all lovers of hardy flowers. In the Rock and Alpine Garden, on grassy banks, and naturalized in grass they form a charming picture, while in the Alpine house they are greatly prized. The delightful effect produced by masses of C. speciosus, C. longiflorus, C. Salzmanni, C. Tommasinianus, &c., naturalized in the flower garden or in grass, can only be realized by those who have witnessed it. In nomenclature we have followed Mr. George Maw's Monograph on the Crock.

Cultural Directions.—Any ordinary garden soil is suitable, but for the rarer species we recommend the addition of a little well-decayed leaf soil, and surrounding the bulbs with sharp sand. The rarer species are most at home in little pockets in the rock garden, facing south-west or west, where they are protected from ground winds and from the early morning sun in winter. Plant the bulbs as early as possible, covering them with not more than one to two inches of soil.

Coloured Plates of Crocus Species.—Complete set of 70 Coloured Plates contained in "Maw's Monograph of the Genus Crocus," drawn and hand-coloured by the late George Maw, F.L.S., including Coloured Map, showing geographical distribution and diagrams of latitude and longitude of the habitats of all known species. Plates and Map loose in cloth bound case, £4 4s. 0d.

AUTUMN-FLOWERING CROCUS SPECIES AND VARIETIES.

Very attractive in flower borders, and charming in the rock garden and grass. Grown in pots indoors or planted out in cold frames, or in pockets on rockwork as advised above, they are very beautiful. The earlier-flowering varieties commence to bloom in August, while the later flowering varieties maintain a succession of bloom until the winter species begin to flower in December. Plant in July or August. We have indicated by a bracket number the relative time of flowering, thus (1) indicates the earliest to bloom, (6) the latest.

BARR & SONS SELECTIONS. 3 each of 18 Autumn-flowering Crocus ... 25/-

3 each of 12 Autumn-flowering Crocus			13	6/6	3 each of 12 Autumn-flowering Crocus Choicer Sorts 21/-	-
	Per (doz.	Ea	ch :	Per doz. Each	1
asturicus (3), a species from the Asturias Mountains, flowers pale mauve to purple-lilac,	s.	d.	5.	<i>d</i> .	pulchellus (2), lavender-blue with white anthers s. d. s. d. and orange-banded throat; a lovely species	
with darker stripes at base	7	6	0	8	found growing in the heathy thickets border- ing the Bosphorus 8 6 0 9	1
cancellatus albus (3), ranging in habitat from the					ing the Bosphorus 8 6 0 9 Salzmanni (5), a native of Tangier; flowers silvery	,
Ionian Isles to North-west Persia, and from Northern Palestine to Armenia;					lilac, shaded and feathered on outer	
large satiny white flowers	12	6	1	3	petals dark lilac, with bronze towards	
,, cilicicus (4), flowers lilac, veined purple at					base; prefers a moist soil. per 100, 25/- 3 6 0 4	ž
base, pretty	8	6	0	9	,, erectophyllus (4), soft clear purple-lilac	
hadriaticus (4), native of the Ionian Isles, Al-					flowers with orange stigmata, a hand-	
bania, and the Morea Peninsular,					some free-flowering variety, per 100, 28/- 3 9 0 4	Ħ
flowers large and showy, pure white with scarlet stigmata	8	6	Ð	9	sativus (The Saffron Crocus) (6), habitat Italy	
chrysobelonicus (4) a very pretty variety		J		U	to Kurdistan, large purplish lilac flowers, feathered violet, with long	
flowers sating white, with bronze or					blood-red stigmata and purple base,	
violet markings at base of petals and					slightly scented. (Flowering freely	
orange stigmata	10	6	1	0	when established) per $100, 12/6 1 9 0 2$?
,, lilacinus (6), flowers silvery lilac to deeper lilac, with violet and bronze base,					,, Elwesii (6), long delicate lilac-coloured	
throat yellow, stigmata scarlet	8	6	0	9	flowers, with pale grey-blue markings at base and showy scarlet stigmata 5 6 0 6	3
iridiflorus (syn. byzantinus) (5), a native of					,, Pallasii of Patras (6), globular pale silvery	,
Hungary, Western Transylvania, and the					lilac flowers, faintly veined, with	
Banat; large rich purple outer segments, inner					yellow base and scarlet stigmata, a	
segments pale lilac, much branched lilac stigmata, very distinct and handsome	9	6	n	10	fine variety per $100, 30/$ - $4 0 0 5$	5
stigmata, very distinct and handsome longiflorus (syn. odorus) (4), native of South Italy,	3	U	U	10	" Seedlings, pale lilac and lilac with dark	
Sicily, and Malta; charming soft lilac					feathering, etc., all very beautiful per 100, 28/- 3 9 0 4	1
flowers with brilliant scarlet stigmata,					speciosus (2), bright violet-blue flowers, prettily	Ľ.
delicately scented per 100, 42/-	5	6	0	6	veined, with orange-red anthers, and yellow	
,, melitensis (4), lilac, with variable amount					throat, handsome and showy; one of the most	
of deeper feathering at base, anthers yellow, stigmata orange-red, violet-					beautiful Autumn Crocuses for planting in	
scented	9	6	0	10	grass and massing in borders or in the rock garden; habitat Northern Persia, Asia Minor,	
marathonisius, see niveus.					the Caucasus, and Crimea. Award of Garden	
medius (3), a fine species from the neighbourhood					Merit, R.H.S. per 100, 10/6 1 6 0 2	2
of Mentone and Spezzia; flowers lovely rich					speciosus Aitchisonii (3), very large long handsome	
violet, with handsome purple veining at base, stigmata rich glowing orange-red; one of the					flowers with sharply tapering petals,	
handsomest of the Autumn-flowering species	8	6	0	9	china-blue, prettily feathered a darker	
niveus (syn. marathonisius of Heldreich) (5),					shade with silvery flush on outer petals $per 100, 17/6 2 6 0 3$	3
producing very large snowy white flowers in					,, albus (2), very beautiful white flowers 10 6 1 0	
November, rare and beautiful	12	6	1	3	Tournefortii (6), a charming species found grow-	
nudiflorus (4), flowers rich clear purple, a native					ing on several of the islands in the Greek	
of the Asturias Mountains, Pyrenees, the					Archipelago, flowers a beautiful clear silvery	
Landes, and Cévennes, &c., and at one time naturalized in the Midland counties of England					lilac, with long scarlet stigmata, white anthers	æ
per $100, 42/-$	5	6	0	6	and a soft prime obe time at the per are, and	J
ochroleucus (6), bearing dainty creamy white					zonatus (1), rose-lilac, centre yellow with orange	
flowers with bright orange base and white	-	0	Λ	G	zone, very beautiful; from the mountains of Cilicia per 100, 12/6 1 9 0 2	2
anthers; a native of the Lebanon. per 100 35/-	Э	0	U	6	Omeia per 100, 12/0 1 0 0 2	-

CROCUS.-WINTER-FLOWERING SPECIES AND VARIETIES.

These Winter-flowering Crocuses succeed the Autumn-flowering species, and weather permitting, are decorative from December to February. They are very beautiful in the rock garden, grown in cold frames or in pans in the Alpine House. Plant from August to October. We have indicated the relative times of flowering by a bracket number after each sort; thus those marked (1) are the first in this section to flower, and those marked (4) the latest.

aerius Grey Lady (2), a pretty seedling variety, s. d. outer petals heavily shaded deep silvery lilac on a white ground with bronze base, inner petals silvery white, centre deep gold, anthers yellow, stigmata scarlet				Crocus (our selection) 15/	.		-	
outer petals heavily shaded deep silvery lilic on a white ground with bronze base, inner petals silvery white, centre deep gold, anthers yellow, stigmata scarlet			- 1					
stipled bronze and brown on exterior 9 6 0 10 dalmaticus (var. C. of Boxeles) (3), flowers of good size, outer petals pale silvery lavender with bronze base, inner petals spled bronze and brown on exterior 9 6 0 10 dalmaticus (var. C. of Boxels) (3), flowers of good size, outer petals splew; stigmata scarlet 2 6 1 0 0 10 dalmaticus (var. C. of Boxels) (3), flowers petals silvery lavender with bronze base, inner petals spled bronze and brown on exterior 10 dalmaticus (var. C. of Boxels) (3), flowers petals silvery lavender with bronze base, inner petals spled bronze and brown on exterior 10 dalmaticus (var. C. of Boxels) (3), flowers petals silvery lavender with bronze base, inner petals spled bronze and silvery lavender with bronze base, inner petals spled bronze and silvery lavender with bronze base, inner petals spled bronze and silvery lavender with bronze base, inner petals spled bronze and silvery lavender with bronze base, inner petals spled bronze and silvery lavender with bronze base, inner petals spled bronze and silvery lavender with bronze base, inner petals spled bronze and silvery lavender with bronze base, inner petals spled bronze and silvery lavender with bronze base, interpetals pale canner lavender with bronze base, interpetals spled bronze and silvery lavender with bronz		. S. (d.		<i>s</i> .	d.	s. c	ι.
petals silvery white, centre deep gold, anthers yellow, signata scarlet					9	6	0 1	10
yellow, stigmata scarlet				• •				
ancyrensis (1), the Angora Crocus, flowers bright or ange-yellow		3 1	9					
orange-yellow	ancyrensis (1) the Angora Crocus flowers bright	, 1	ا ا					
aureus var, mæsiacus (3), a lovely species bearing beautifully shaped globular frowers of the richest deep golden-yellow and showy scarlet stigmata; the richest coloured form of C. aureus		3 1	0					
beautifully shaped globular flowers of the richest deep golden-yellow and showy scarlet stigmata; the richest coloured form of C. aureus per 100, 32/6 c C. aureus per 100, 25/6 c C. aureus			-		12	6	1	3
richest deep golden-yellow and showy scarlet stigmata; the richest coloured form of C. aureus	beautifully shaped globular flowers of the			S			-	
scarlet stigmata; the richest coloured form of C. aureus	richest deep golden-vellow and showy		ì					
C. aureus					21	0	2	0
chrysanthus Bullfinch (3), a beautiful seedling, broad rounded petals feathered outside crimson-purple on creamy yellow, inside pure white with orange throat Blue Butterfly (4), a lovely new seedling, outer petals violet-blue with heavy purple blotch and bronze-cloured base, inner petals violet-blue shaded silvery white, centre old-gold, anthers yellow, stigmata scarlet. Award of Merit, R.H.S. Dorothy (3), a strong and vigorous seedling of chrysanthus fusco-tinctus, flowers canary-yellow, outer petals shaded and stippied bronzy grey, anthers yellow, stigmata pale yellow		5 0	5			•	_	
broad rounded petals leathered outside crimson-purple on creamy yellow, inside pure white with orange throat 3. Blue Butterfly (4), a lovely new seedling, outer petals violet-blue with heavy purple blotch and bronze-coloured base, inner petals violet-blue shaded silvery white, centre old-gold, anters yellow, stigmata scarlet. Award of Merit, R.H.S. 3. Dorothy (3), a strong and vigorous seedling of chrysanthus fusco-tinctus, flowers canary-yellow, outer petals shaded and stippled bronzy grey, anthers yellow, stigmata pale yellow 10 6 1 0 3. Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 3. Siskin (3), a charming variety with pointed petals, outer petals pale canary-yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 3. Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3	chrysanthus Bullfinch (3), a beautiful seedling,		Ī					
side pure white with orange throat 16 0 1 6 Blue Butterfly (4), a lovely new seedling, outer petals violet-blue with heavy purple blotch and bronze-coloured base, inner petals violet-blue shaded silvery white, centre old-gold, anthers yellow, stigmata scarlet. Award of Merit, R.H.S. 12 6 1 3 Dorothy (3), a strong and vigorous seedling of chrysanthus fusco-tinctus, flowers canary-yellow, outer petals shaded and stippled bronzy grey, anthers yellow sigmata pale yellow 10 6 1 0 Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals pale canary-yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 Solden Merit, R.H.S	broad rounded petals feathered outside							
Blue Butterfly (4), a lovely new seedling, outer petals violet-blue with heavy purple blotch and bronze-coloured base, inner petals violet-blue shaded silvery white, centre old-gold, anthers yellow, stigmata scarlet. Award of Merit, R.H.S. 12 6 1 3 Dorothy (3), a strong and vigorous seedling of chrysanthus fusco-tinctus, flowers canary-yellow, outer petals shaded and stippled bronzy grey, anthers yellow, stigmata pale yellow 10 6 1 0 Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals ream feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with throat and showy scarlet stigmata 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevarions on mountains of Greece, Crete, &c., "ery showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 "Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3								
Imperati (4), inner petals violet, outer petals fawn, more or less feathered lavender-violet to black, very beautiful and distinct, delicately fragrant; found near Naples. Award of Garden Merit, R.H.S per 100, 25/- 3 6 0 4 Korolkowi (1), a handsome species from Western Turkestan, star-shaped flowers when widely expanded, interior rich golden-yellow, exterior densely stippled bronzy grey on a yellow ground) 1	6		16	0	1	6
purple blotch and bronze-coloured base, inner petals violet-blue shaded silvery white, centre old-gold, anthers yellow, stigmata scarlet. Award of Merit, R.H.S. 12 6 1 3 Dorothy (3), a strong and vigorous seedling of chrysanthus fusco-tinctus, flowers canary-yellow, outer petals shaded and stippled bronzy grey, anthers yellow, stigmata pale yellow 10 6 1 0 Quaintness (3), flowers prinnrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals pale canary-yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3								
inner petals violet-blue shaded silvery white, centre old-gold, anthers yellow, stigmata scarlet. Award of Merit, R.H.S. 12 6 1 3 Dorothy (3), a strong and vigorous seedling of chrysanthus fusco-tinctus, flowers canary-yellow, outer petals shaded and stippled bronzy grey, anthers yellow, stigmata pale yellow 10 6 1 0 Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals pale canary-yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3				fawn more or less feathered lavender-violet				
white, centre old-gold, anthers yellow, stigmata scarlet. Award of Merit, R.H.S. 12 6 1 3 3 " Dorothy (3), a strong and vigorous seedling of chrysanthus fusco-tinctus, flowers canary-yellow, outer petals shaded and stippled bronzy grey, anthers yellow, stigmata pale yellow 10 6 1 0 " Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 " Siskin (3), a charming variety with pointed petals, outer petals pale canary-yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 " Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 fragrant; found near Naples. Award of Garden Merit, R.H.S per 100, 25/- 3 6 0 4 Korolkowi (1), a handsome species from Western Turkestan, star-shaped flowers when widely expanded, interior rich golden-yellow, exterior densely stippled bronzy grey on a yellow ground per 100, 42/- 5 6 0 6 laevigatus Fontenayi (1), silvery lilac, outer petals heavily feathered violet, centre orange 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevarions on mountains of Greece, Crete, &c., "ery showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose-lilac, outer petals conspicuously blotched white on a rich purple ground 5 6								
Stigmata scarlet. Award of Merit, R.H.S. 12 6 1 3 Dorothy (3), a strong and vigorous seed- ling of chrysanthus fusco-tinctus, flowers canary-yellow, outer petals shaded and stippled bronzy grey, anthers yellow, stigmata pale yellow 10 6 1 0 Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals and showy scarlet stigmata 16 0 1 6 Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 Garden Merit, R.H.S per 100, 25/- 3 6 0 4 Korolkowi (1), a handsome species from Western Turkestan, star-shaped flowers when widely expanded, interior rich golden-yellow, exterior densely stippled bronzy grey on a yellow ground per 100, 42/- 5 6 0 6 lavigatus Fontenayi (1), silvery lilac, outer petals heavily feathered violet, centre orange 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevarions on mountains of Greece, Crete, &c., very showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose- lilac, outer petals conspicuously blotched white on a rich purple ground 5 6								
Norothy (3), a strong and vigorous seedling of chrysanthus fusco-tinctus, flowers canary-yellow, outer petals shaded and stippled bronzy grey, anthers yellow, stigmata pale yellow 10 6 1 0 Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals pale canary-yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 Worolkowi (1), a handsome species from Western Turkestan, star-shaped flowers when widely expanded, interior rich golden-yellow expanded, interior rich golden-yellow ground per 100, 42/- 5 6 0 6 Worolkowi (1), a handsome species from Western Turkestan, star-shaped flowers when widely expanded, interior rich golden-yellow ground per 100, 42/- 5 6 0 6 Worolkowi (1), a handsome species from Western Turkestan, star-shaped flowers when widely expanded, interior rich golden-yellow ground per 100, 42/- 5 6 0 6 Weightly feathered violet, centre orange 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevarions on mountains of Greece, Crete, &c., very showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft roselilac, outer petals conspicuously blotched white on a rich purple ground 5 6		2 1	9		3	6	0	4
ling of chrysanthus fusco-tinctus, flowers canary-yellow, outer petals shaded and stippled bronzy grey, anthers yellow, stigmata pale yellow 10 6 1 0 Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals pale canary-yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 Turkestan, star-shaped flowers when widely expanded, interior rich golden-yellow and yellow ground per 100, 42/- 5 6 0 6 lævigatus Fontenayi (1), silvery lilac, outer petals heavily feathered violet, centre orange 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevations on mountains of Greece, Crete, &c., very showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft roselilac, outer petals conspicuously blotched white on a rich purple ground — 5 6) 1	0					
flowers canary-yellow, outer petals shaded and stippled bronzy grey, anthers yellow, stigmata pale yellow 10 6 1 0 Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals pale canary-yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 Expanded, interior rich golden-yellow, exterior densely stippled bronzy grey on a yellow stippled bronzy grey on a yellow in the petals control of flowers yellow, exterior densely stippled bronzy grey on a yellow in perallow 10, silvery lilac, outer petals heavily feathered violet, centre orange 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevations on mountains of Greece, Crete, &c., very showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose-lilac, outer petals conspicuously blotched white on a rich purple ground — 5 6								
shaded and stippled bronzy grey, anthers yellow, stigmata pale yellow 10 6 1 0 Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals pale canary-yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 densely stippled bronzy grey on a yellow ground per 100, 42/- 5 6 0 6 lævigatus Fontenayi (1), silvery lilac, outer petals heavily feathered violet, centre orange 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevarions on mountains of Greece, Crete, &c., very showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose-lilac, outer petals conspicuously blotched white on a rich purple ground 5 6			į					
yellow, stigmata pale yellow 10 6 1 0 Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals pale canaryyellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 ground per 100, 42/- 5 6 0 6 lævigatus Fontenayi (1), silvery lilac, outer petals heavily feathered violet, centre orange 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevations on mountains of Greece, Crete, &c., very showy. Award of Garden Merit, R.H.S per 100, 42/- 5 6 0 6 lævigatus Fontenayi (1), silvery lilac, outer petals heavily feathered violet, centre orange 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevations on mountains of Greece, Crete, &c., very showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose-lilac, outer petals conspicuously blotched white on a rich purple ground — 5 6								
"Quaintness (3), flowers primrose, outer petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 "Siskin (3), a charming variety with pointed petals, outer petals pale canaryyellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 "Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 "Revigatus Fontenayi (1), silvery lilac, outer petals heavily feathered violet, centre orange 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevations on mountains of Greece, Crete, &c., very showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 "H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose-lilac, outer petals conspicuously blotched white on a rich purple ground — 5 6		3 1	0		5	6	0	6
petals feathered light purple, centre old gold, scarlet stigmata 8 6 0 9 " Siskin (3), a charming variety with pointed petals, outer petals pale canaryyellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 " Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 heavily feathered violet, centre orange 16 0 1 6 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevations on mountains of Greece, Crete, &c., very showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 " H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose-lilac, outer petals conspicuously blotched white on a rich purple ground — 5 6				lævigatus Fontenayi (1), silvery lilac, outer petals				
old gold, scarlet stigmata 8 6 0 9 Siskin (3), a charming variety with pointed petals, outer petals pale canaryyellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 Sieberi (3), soft lavender-blue, with golden-yellow base and orange stigmata; a charming species, found at high elevations on mountains of Greece, Crete, &c., very showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose-lilac, outer petals conspicuously blotched white on a rich purple ground — 5 6				heavily feathered violet, centre orange	16	0	1	6
pointed petals, outer petals pale canary-yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 per showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 per showy. Award of Garden Merit, R.H.S per showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 per showy. Award of Garden Merit, R.H.S per showy. Award of Ga		6 0	9					
yellow, lightly feathered greyish purple, inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 , Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3	,, Siskin (3), a charming variety with							
inner petals snowy white, golden throat and showy scarlet stigmata 16 0 1 6 , Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 showy. Award of Garden Merit, R.H.S per 100, 21/- 3 0 0 4 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose-lilac, outer petals conspicuously blotched white on a rich purple ground — 5 6								
throat and showy scarlet stigmata 16 0 1 6 " Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 R.H.Ś per 100, 21/- 3 0 0 4 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose-lilac, outer petals conspicuously blotched white on a rich purple ground — 5 6								
,, Snow Bunting (1), outer petals cream feathered indigo and with bronze base, inner petals creamy white with old-gold centre, anthers yellow, stigmata scarlet 12 6 1 3 H. McD. Edelsten (4), a beautiful seedling variety, interior of flowers soft rose- lilac, outer petals conspicuously blotched white on a rich purple ground — 5 6			-					
feathered indigo and with bronze base, variety, interior of flowers soft rose- inner petals creamy white with old-gold lilac, outer petals conspicuously centre, anthers yellow, stigmata scarlet 12 6 1 3 blotched white on a rich purple ground — 5 6		0 1	6		3	0	0	4
inner petals creamy white with old-gold lilac, outer petals conspicuously centre, anthers yellow, stigmata scarlet 12 6 1 3 blotched white on a rich purple ground — 5 6								
centre, anthers yellow, stigmata scarlet 12 6 1 3 blotched white on a rich purple ground — 5 6								
		e 1	9				5	ß
				1 1 3	_		υ	U

CROCUS.—EARLY SPRING-FLOWERING SPECIES AND VARIETIES.

These are all very beautiful, lighting up the garden early in the year with bright and varied colours. Very effective early in March massed in grass or in the rock garden. All the Crocuses offered below are quite distinct from the large spring-flowering Dutch Crocuses (varieties of *C. vernus*), being dwarfer, with more refined flowers and mostly earlier blooming. Plant from August to October. We have indicated the relative times of flowering by a bracket number after each variety, thus those marked (1) are the first in this

section to bloom, and those marked (5) the latest.		,			(-)
3 each of 12 Early Spring-	low	ering	Cr	ocus	(our selection) 14,6.
		doz.			Per doz. Each
biflorus Adami (1), a charming variety from the	s.	d.	s.	d.	Susianus (Cloth of Gold Crocus) (3), rich golden- s. d. s. d.
Cicilian Taurus. Flowers vary from pale					yellow, striped glossy brown on exterior of
silvery lilac to dark violet, all having a					petals; a lovely little species for edgings and
yellow base and three feathered lines on					the rock garden per 100, 10/6 1 6 0 2
outer segments	12	6	1	3	Tomasinianus (3), lovely sapphire-lavender; one
,, argenteus (syn. præcox) (3), a beautiful					of the best to naturalize in grass, remaining
variety of the Scotch Crocus, outer					long in beauty; native of Dalmatia and
petals feathered deep purple on a cream					Serbia. Award of Garden Merit, R.H.S.
ground, inner petals silvery lavender,					per 100, 9/6 1 4 0 2
very pretty per 100, 25/-	3	6	0	4	" Barr's Purple (2), a large handsome form,
,, Barrii (3), a lovely little well-marked					exterior pale silvery-lilac, interior rich
form, flowers white, striped lilac, very	_			_	glossy purple-lilac with yellow anthers
free-flowering; a gem for rock garden	7	6	0	8	and orange stigmata, very showy and
,, Weldeni albus (3), flowers pure white,					earlier than Tomasinianus, strongly
sometimes slightly stained blue at base,	10	0	-	0	recommended per 100, 42 - 5 6 0 6
very beautiful	16	U	1	6	,, var. pictus (3), a very pretty and strong
,, Weldeni sulphur variety (3), flowers					growing form, layender with a purple
delicate sulphur-yellow, faintly stippled					Stotes at a part of the state o
slaty bronze and shading to slaty bronze					vernus L'Unique (5), pretty purplish mauve flowers, with silvery shading per 100, 15/- 2 3 0 3
at base, anthers yellow, stigmata orange-scarlet	19	G	1	3	interest of the state of the st
minimus (3), a rare species from Corsica, flowers	1.4	U	1	ð	,, siculus (5), a very small-flowered variety from Montenegro, charming in the
dark lavender, outer petals buff, prettily					Alpine garden, pure white star-shaped
feathered dark purple. Award of Merit, R.H.S.	5	6	Ω	6	flowers 8 6 0 9
New Species (distributed as C. Heufellianus) (4),	J	J	U	U	,, Stormcloud (3), a charming hybrid be-
producing pretty little flowers of a rich rosy					tween Crocus vernus and Crocus
lilac shade with golden centre, anthers					Tomasinianus, having globular broad-
yellow, stigmata orange. The outer petals are					petalled flowers of a delicate silvery
slightly feathered violet with bronze at base	5	6	0	6	lavender, the top of the petals having a
Pestalozzæ var. cœrulea (3), a charming species			Ü	0	striking and extensive deep purple-
from Asia Minor, inner segments pale laven-					violet blotch 4 6 0 5
der, outer segments pale purplish lavender with					versicolor picturatus (best form of Cloth of
slightly darker feathering, and golden centre,					Silver Crocus) (3), white, feathered ruby-
stigmata orange, anthers yellow per 100, 42/-	5	6	0	6	purple, very pretty and effective. per 100 10/6 1 6 0 2
Mixed Winter and Spring Flowering Crooks Spe	0:00	ch.	· em	ing C	or naturalizing in grass Shrubbery Borders Rock Gardens &c . the

Mixed Winter and Spring-Flowering Crocus Species, charming for naturalizing in grass, Shrubbery Borders, Rock Gardens, &c.; the flowers are all smaller than the ordinary Crocuses, but they are earlier and more refined. Per 1,000, 95/-; per 100, 10/6; per doz., 1/6.

COLCHICUMS,

Autumn-Flowering Meadow Saffrons.

The great Crocus-like flowers of the Colchicum carpet the ground in September and October with colours ranging from pure white to ruby-crimson, more or less chequered or tesselated. In flower borders or naturalized in grass Colchicums produce a charming effect; they prefer a good loamy soil, and should be planted with top of bulb 1 inch deep. The foliage does not appear until Spring, and is very varied. If planted in August and early September, the bulbs bloom almost immediately, but are at their best when established. should not be planted in grasslands used for grazing. The relative times of flowering are indicated (1), (2) and (3).

Colchicum		Per o	doz.	Eac s. c	
Colcilicuiii	autumnale roseum (this variety is identical with byzantinus, offered below).		0		-
,,	,, album (3), flowers glistening pure white, very effective when seen in masses per 100, 30/-	4		0	
,,		42		3	
,,	,, atro-purpureum, a very charming variety, bearing medium-sized flowers of a rich wine-red colour			1	
••	,, plenum (2), flowers rosy lilac, large and very double, showy per 100, 35/-	5	0	0	6
,,	Bornmulleri (1), a handsome giant-flowered species of a lovely rose shade, resembling C. GIGANTEUM, but hav-				_
	ing a larger white centre	6	6	0	7
"	byzantinum (2), soft rose-coloured flowers, perfect in form and produced in great profusion, strong grower, very beautiful	6	6	0	7
	giganteum (1), a grand species from the Zigana Dagh (Gypsy Mountain) in Asia Minor, bearing immense ex-				•
,,	panded flowers of a beautiful soft rose shade, with large white centre, remarkably handsome per 100, 75/-	10	6	1	0
,,	speciosum (1), large handsome flowers, varying in colour from light to bright rosy carmine, petals of great substance	5	c	0	c
	atheres (9) a small resistance is the same terms of the first firs	3	U	U	O
,,	some, First-Class Certificate, R.H.S	18	6	1	9
,,	,, Danton (2), very large well-formed, lightly chequered flowers of a rich glowing ruby-carmine with	10		•	•
• •	large pure white centre, very striking and handsome	30	0	2	9
,,	,, var. illyricum (2), a beautiful variety collected near Salonika, bearing an abundance of large soft				
	rosy carmine flowers with white centre and golden anthers, very free-flowering.				
	Award of Merit, R.H.S	6	6	0	7
,,	" Lilac Wonder (3), a fine new very large-flowered Colchicum with very rich rosy carmine flowers,				
	a very striking variety of great merit	18	6	1	9
,,	,, Ruby Queen (3), one of the richest coloured Colchicums, flowers of a glowing deep wine or almost				_
	ruby colour with white centre, very handsome			1	3
**	mixed varieties for naturalizing in wild gardens, woodlands, &c per 100, 25/-	3	6	_	-
	COLCHICUM, Small-flowered Species.				
Colchicum	alpinum, dainty little flowers of a uniform rosy lilac, flowering early in August, only growing 3 inches high	16	0	1	6
Colemean	application, desired for a district of a dis	10	•	1	•

HARDY CYCLAMEN.

These Hardy Cyclamen require perfect drainage and shelter from ground winds and the early morning sun; at the bottom of old walls facing north, in the rock garden, or nestling in the grass, near the roots and under the shelter of old trees, they produce a most charming effect; they are also good subjects for Fern plantations, where they obtain the shade they like. In making up a suitable soil, add a liberal proportion of old mortar rubble with some well-decayed leaf soil and good fibrous loam. The Hardy Cyclamen prefer shallow planting,

1 to $1\frac{1}{2}$ in. deep, measuring from top of corm; they should all be given a good mulching of well-decayed leaf soil after plan situation is exposed, a light covering of dry leaves or litter in winter is beneficial. These Hardy Cyclamen can be supplie of the year.	ting, d at	and any	if th perio	ie id
Autumn-flowering Hardy Cyclamen.	Per	doz.	Eac	:h
Africanum (syn. macrophyllum), flowers blush with purplish centre, heart shaped leaves of enormous size with silvery grey	s.	d.	s. 0	d.
zone, very handsome; plant in a warm sunny situation and give slight protection in cold districts	10	6	1	0
cilicicum, a pretty species of neat compact habit, flowers light pink with carmine eye, small round deep green silvery-				
zoned leaves coloured purple on underside	14	0	1	4
europæum, flowers crimson, sweet-scented, with silver-marbled leaves, August-flowering (plant 4 inches deep). per 100, 42 -	5	6	0	6
neapolitanum (syn. græcum and hederæfolium), the Ivy-leaved Cyclamen, producing in Autumn, before its foliage, an abundance of rosy pink flowers, followed by large handsome silver-marbled leaves. This beautiful species should be largely used as a ground-work to Scillas, Chionodoxas, Leucojums, dwarf Narcissi, Snowdrops, Mus-				
caris, &c., its beautiful Winter foliage contrasting charmingly with these little early Spring flowers, per 100, 42/-	5		0	-
" aibum, producing dainty pure white flowers, followed by beautiful silver-marbled foliage	12	6	1	3
Winter and Spring-flowering Hardy Cyclamen.				
coum, flowers pretty deep rose in early Spring, differing from C. ibericum in having green instead of silver-zoned foliage	21	0	2	0
all and the same and the south and the same to same	21	ŏ		Õ
,, roseum, flowers beautiful soft light rose	$\overline{21}$			ō
iborioum recoum protty rose coloured flowers	18	6		9
The varieties of intericulal flowers	21	0	2	0
,, rubrum, crimson-coloured nowers foliage more or less silver-zoned.	18	6	1	9
repandum (syn. vernum), bright crimson flowers produced during April and May, with handsome silver-marbled foliage;				
the last of the Hardy Cyclamen to bloom	7	6	0	8
the last of the Hardy experiment to steem in the hard to the hard				
AUTUMN-FLOWERING LEUCOJUMS (Snowflakes).				
Leucojum autumnale (Acis), white and pink flowers in Autumn, graceful in pots and in the rock garden, etc., ht. 4 in.; grow in almost pure sand in shade; quite hardy	$\frac{3}{7}$		$0 \\ 0$	4 8
AUTUMN-FLOWERING SCILLAS.				
Scilla autumnalis, producing dainty spikes of purple-blue flowers in Autumn, ht. 6 in		6 6	0	

STERNBERGIA lutea (The Autumn-flowering Lilv of the Field). An effective Autumn-flowering bulbous plant producing handsome crocus-like flowers of a rich golden-yellow. It likes a warm, well-drained situation on banks or borders facing South, where it should be left undisturbed for years. The bulbs should be planted about 4 inches deep, and a covering of dry litter be given in Winter; after the sun-baking they receive in a hot summer they usually flower pro-... per 100, 17/6; per doz. 2/6... ... • • • fusely

VALLOTA PURPIREA (The Scarborough Lily).

A valuable Autumn-flowering plant for the cool greenhouse or sitting-room, producing on stout stems umbels of large brilliant scarlet flowers which open in succession, thus remaining decorative a long time. The bulbs should be potted up in a compost of good loam, leaf-mould and sand, the pots being well crocked. Water sparingly until growth commences. Strong Bulbs, per doz., 18 6; each, 1 9

BULBS FOR EARLY FORCING.

The Hyacinths offered below are generally ready for despatch by the middle of August; Polyanthus Narcissi and Freesias third to fourth week in August; Lachenalias and Extra Early Tulips about the middle of August.

EARLY WHITE ROMAN HYACINTHS.

Finest French-grown Bulbs.

These charming little Hyacinths are of great value for early forcing, and may be had in bloom during November, December and January by successional plantings. Several bulbs in a pot make a charming Winter decoration for the greenhouse or sitting-room, while they may be successfully grown in bowls of our Peat-Fibre, Shell and Charcoal Mixture (5/6 per bushel; 1/6 per peck), or Pebbles and Water.

White !	Roman	Hyacinth,	Strong	g Flowering	Bulbs						•••			• • •		per 100	, 32/6; 1	per d oz.	4/6
,,	,,			Selected B															
,,	,,	,,	Extra	Large Bull	bs, pro	ducing	a g	reater	number	of	spikes	•••	•••	•••	• • •	,,	55/-;	,,	7/6

EXTRA EARLY CHRISTMAS-FORCING HYACINTHS.

We can confidently recommend these three Hyacinths for maintaining a succession of bloom indoors succeeding in time of flowering the White Roman Hyacinths. Barr's Early White, spikes of charming soft pink flowers, delightfully scented per 100, 42/-; per doz. 5/6
Barr's Early White, spikes of pure white flowers, a fine companion to Barr's Early Pink ,, 42/-; ,, 5/6
Barr's Early Blue, spikes of charming pale porcelain-blue flowers a good companion to the spikes of charming pale porcelain-blue flowers a good companion to the spikes of charming pale porcelain-blue flowers a good companion to the spikes of charming pale porcelain-blue flowers a good companion to the spikes of charming pale porcelain-blue flowers as good companion to the spikes of charming pale porcelain-blue flowers as good companion to the spikes of charming pale porcelain-blue flowers as good companion to the spikes of the spikes of charming pale porcelain-blue flowers as good companion to the spikes of charming pale porcelain-blue flowers. Barr's Early Blue, spikes of charming pale porcelain-blue flowers, a good companion to the above varieties 42/-;

LARGE-FLOWERED PREPARED HYACINTHS FOR EARLY FORCING.

These Hyacinths are harvested specially early, and so prepared as to be capable of being quite easily forced into bloom by January. The bulbs should be potted up as soon as received, plunged in a cold airy frame, and removed indoors to gentle heat about the middle of November (not earlier). They may also be grown in bowls in our Peat-Fibre Mixture.

Strong Selected Bulbs

				Stron	g Sele	cted Built	Extra Strong Selected Built					
Coral Queen, beautiful coral-rose				per 100,	40/-;	per doz.	5/6	per 100,	55/-;	per doz.	7/6	
Dr. Lieber, deep lavender-blue				,,	4 0/-;	,,	5/6	, ,	55/-;	,,	7/6	
Gertrude, bright rose-pink		•••		,,	40/-;	,,	5/6	,,	55/-;	,,	7/6	
Lady Derby, lovely soft flesh-pink,	very	pretty	• • •	,,	4 0/-;	,,	5/6	,,	55/-;	,,	7/6	
La Victoire, brilliant rose-crimson	•••			,,	40/-;	,,	5/6	,,	55/-;	,,	7/6	
L'Innocence, pure white	•••	• • •	• • •	,,	40/-;	,,	5/6	,,	55/-;	,,	7/6	
Marie, dark violet-blue	•••	•••		11	40/-;	,,	5/6	,,	55/-;	,,	7/6	
Schotel, light blue				,,	40/-;	,,	5/6	,,	55/-;	,,	7/6	
Yellow Hammer, delicate yellow	• • •			11	40/-;	,,	5/6	٠,,	55/-;	• • • • • • • • • • • • • • • • • • • •	7/6	

PREPARED CYNTHELLA OR MINIATURE HYACINTHS FOR EARLY FORCING.

Pure White, Bright Rose, Crimson, Light Blue, Deep Lavender-Blue, Delicate Yellow ... each colour, per 100, 25/-; per doz. 3/6

POLYANTHUS NARCISSUS FOR EARLY FORCING.

Paper White Snowflake Improved, producing trusses of beautiful snow-white fragrant flowers, and may be had in bloom with the Roman Hyacinth if treated in the same way Strong Selected Bulbs per 100, 18/6; per doz. 2/8 Grand Soleil d'Or, Fine Selected Stock, bearing clusters of very bright showy flowers, perianth golden, cup deep brilliant orange; especially recommended for forcing in pots and boxes, and can easily be brought into bloom by January ... per 100, 18/6; per doz. 2/8

SWEET-SCENTED FREESIAS.

Potted up in August, Freesias may be had in flower at Christmas by gentle forcing, while by giving less warmth a succession of bloom may be obtained from January to April. Plant from August to October, 6 corms in a 5-inch pot, or 12 in a 7-inch pot. The top of the corms should be buried 1½ inches below the surface of the soil, which should be composed of equal parts of loam, leaf mould, sand and well-decayed manure. Good drainage is essential. Stand the pots outside on a sunny border and keep them slightly shaded, only giving water sparingly until growth is showing. In October remove to the sunny part of a greenhouse and give plenty of air. Leichtlini major, an old favourite bearing creamy white flowers with orange blotch per 100, 12/6; per doz. 1/9 Refracta, flowers white with soft yellow blotch, robust grower and free bloomer. ... Extra large corms per 100, 12/6; per doz. 1/9

" Purity, bearing elegant sprays of snowy white flowers, highly prized for cutting ... per 100, 12/6; per doz. 1/9

Barr's Beautiful New Primrose and Yellow Shades Mixed, fine seedling forms with very large open flowers, pale to full primrose and rich yellow with orange blotch, borne freely on branching sprays, delightfully scented per 100, 30/-; per doz. 4/-Barr's Beautiful New Hybrids Mixed, a charming strain, the result of hybridizing many varieties, rose, pink, ruby, salmon, coppery bronze,

apricot, yellow, primrose, and lavender shades, &c., all delightfully scented ...

LACHENALIAS (Cape Cowslips).

Very beautiful greenhouse plants flowering in early Spring. Pot ½ to 1 inch deep in August-September in a compost of loam, sweet leaf soil, sand and well-decayed cow manure; place the pots in an airy greenhouse or cold frame and give plenty of air but very little water until the bulbs have made foliage. In early November, before cold weather sets in, remove the pots to the greenhouse where the temperature does not fall below 40° at night, nor exceed 55° by day.

... rer 100, 25/-; per doz. 3/6

3 each of 6 Beautiful Varieties (our selection)			17/6		pe	r doz. each
Nelsoni, large rich golden-yellow bells and reddish stem, very free-flowering, early						
Whitewell Hybrids Mixed, a very fine vigorous growing strain, embracing all	shades	of yello	w and ora	ange with c	oloured	
margins and coral-red shading at top. AWARD OF MERIT, R.H.S	•••	•••			•••	10/6 1/-

BARR'S EXTRA EARLY TULIPS. For Early Forcing.

These tulips are specially prepared for early forcing; those marked * may be forced into bloom by Christmas or shortly after. To obtain early flowers the bulbs should be potted or planted in boxes and plunged out-doors or in a cold frame. Those varieties marked * should be brought into warmth about the second week in December; those marked † about the end of the third week in December, and those marked § early in January, when the temperature should be maintained at 65° to commence with being gradually raised to 75°: These Extra Early Tulips generally flower within a fortnight from the time they are brought into

Extra Early Single Tulips.	100	doz.	Extra Early Double Tulips.	100	loz.
			*Couronne d'Or, flowers yellow flushed orange 2	25/-	3/6
*De Wet, fiery orange stippled orange-scarlet	25/-	3,6	†Murillo, delicate rose flushed white, beautiful	25/-	3/6
*Fred Moore, terra-cotta with golden-buff tinge	25/-	3/6	Extra Early Darwin Tulips.		
†Prince of Austria, brick-red shading to buff-orange	25/-	3/6	\$Princess Elizabeth, rich soft rose-coloured flowers	25/-	3/6
*Rose Grisdelin, a most beautiful full rose colour	25/-	3/6	†William Copland, a lovely soft lavender colour	25/-	3/6
*Vermilion Brilliant, rich dazzling scarlet	25/-	3/6	\$William Pitt, fine deep strawberry-red flowers 2	25/-	3/6

BARR & SONS, 11, 12 & 13 King St., Covent Garden, London, W.C.2.